PTO/SB/44 (09-07)
Approved for use through 08/31/2010. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,574,016

APPLICATION NO. 10/608,810

ISSUE DATE : August 11, 2009

INVENTOR(S) : Eran Steinberg and Peter Corcoran

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace drawings sheets 14-16, including Figures 5, 6 and 7a, with the appended replacement sheets; and

At column 23, line 64, replace the second instance of "520" with --530--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Andrew V. Smith, Tessera, Inc, 3025 Orchard Parkway, San Jose, CA 95134

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



Figure 5


Capture Mode: Automatic Zoom
600
630
610
632
Capture Mode: Automatic Zoom
640

Figure 6


712
710
718
Auto-Focus Mode: Centered Distance - 17 ft.
714
722
728
Auto-Focus Mode: Face Detection Distance - 11 ft.

Figure 7a